

APPLICATION FOR PERMIT TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF NEVADA

Date of filing in State Engineer's Office.....MAY 01 1992.....

Returned to applicant for correction.....

Corrected application filed.....

Map filed.....MAY 01 1992.....

The applicant.....John R. Delavalle.....

P.O. Box 71134....., of.....Las Vegas,.....
Street and No. or P.O. Box No. City or Town

Nevada 89102....., hereby make.... application for permission to appropriate the public
State and Zip Code No.
 waters of the State of Nevada, as hereinafter stated. (If applicant is a corporation, give date and place of incorporation; if a
 copartnership or association, give names of members.).....

1. The source of the proposed appropriation is.....An underground source.....
Name of stream, lake, spring, underground or other source

2. The amount of water applied for is.....0.003.....second-feet
One second-foot equals 448.83 gals. per min.

(a) If stored in reservoir give number of acre-feet.....

3. The water to be used for.....Quasi-Municipal purposes.....
Irrigation, power, mining, manufacturing, domestic, or other use. Must limit to one use.

4. If use is for:

(a) Irrigation, state number of acres to be irrigated.....

(b) Stockwater, state number and kinds of animals to be watered.....

(c) Other use (describe fully under No. 12. "Remarks").....

(d) Power:

(1) Horsepower developed.....

(2) Point of return of water to stream.....

5. The water is to be diverted from its source at the following point.....Within the Southwest Quarter (SW $\frac{1}{4}$) of
the Northwest Quarter (NW $\frac{1}{4}$) of Section 36, Township 21 South, Range 60 East, M.D.B.&M., or at a point from which the Center Quarter (C $\frac{1}{4}$) of
Describe as being within a 40-acre subdivision of public survey, and by course and distance to a section corner. If on unsurveyed land, it should be so stated.
75 18' 30" East a distance of 1363.82 feet.
of said Section 36 bears South

6. Place of use.....Within the Southwest Quarter (SW $\frac{1}{4}$) of the Northwest Quarter (NW $\frac{1}{4}$) of
Describe by legal subdivision. If on unsurveyed land, it should be so stated.
Section 36, Township 21 South, Range 60 East, M.D.B.&M., approximately one
and one quarter (1 $\frac{1}{4}$) acres.

7. Use will begin about.....January 1st.....and end about.....December 31st....., of each year.
Month and Day Month and Day

8. Description of proposed works. (Under the provisions of NRS 535.010 you may be required to submit plans and
 specifications of your diversion or storage works.).....Well, pump, electric motor, domestic water
State manner in which water is to be diverted, i.e. diversion structure, ditches and
lines from two houses to 1500 gallon water storage tank.
flumes, drilled well with pump and motor, etc.

9. Estimated cost of works.....\$12,500.00

10. Estimated time required to construct works.....Five years

If well completed, describe works.

11. Estimated time required to complete the application of water to beneficial use.....Seven Years

12. Remarks: For use other than irrigation or stock watering, state number and type of units to be served or annual consumptive use:

The water will be used on two lots of a two lot minor subdivision

By s/Charles E. Cave
Baughman & Turner, Inc.
1210 Hinson Street
Las Vegas, Nevada 89102

Compared bc/ bc ab/se

Protested.....

APPROVAL OF STATE ENGINEER

This is to certify that I have examined the foregoing application, and do hereby grant the same, subject to the following limitations and conditions:

This permit is issued subject to existing rights and is further subject to revocation if and when water can be furnished by an entity such as a water district or a municipality engaged in furnishing water. A totalizing meter must be installed and maintained in the discharge pipeline near the point of diversion and accurate measurements must be kept of water placed to beneficial use. The totalizing meter must be installed before any use of water begins, or before the Proof of Completion of Work is filed. It is understood that this right must allow for a reasonable lowering of the static water level. The well shall be equipped with a 2-inch opening for measuring depth to water. If the well is flowing, a valve must be installed and maintained to prevent waste. This source is located within an area designated by the State Engineer pursuant to NRS 534.030. The State retains the right to regulate the use of the water herein granted at any and all times.

This permit does not extend the permittee the right of ingress and egress on public, private or corporate lands.

The issuance of this permit does not waive the requirements that the permit holder obtain other permits from State, Federal and local agencies.

The amount of water to be appropriated shall be limited to the amount which can be applied to beneficial use, and not to exceed.....0.003.....cubic feet per second, but not to exceed 0.71 million gallons annually.

Work must be prosecuted with reasonable diligence and be completed on or before.....March 18, 1995

Proof of completion of work shall be filed before.....April 18, 1995

Application of water to beneficial use shall be filed on or before.....March 18, 1998

Proof of the application of water to beneficial use shall be filed on or before.....April 18, 1998

Map in support of proof of beneficial use shall be filed on or before.....N/A

Completion of work filed.....

Proof of beneficial use filed.....

Cultural map filed.....

Certificate No.....Issued.....

CANCELLED JUN 20 1995 BECAUSE OF FAILURE

OF APPLICANT TO COMPLY WITH THE PROVISIONS OF PERMIT

STATE ENGINEER

IN TESTIMONY WHEREOF, I, R. MICHAEL TURNIPSEED, P.E.
State Engineer of Nevada, have hereunto set my hand and the seal of my

office, this.....18th day of.....March.....

A.D. 1993

R. Michael Turnipseed P.E.
State Engineer